

Index

Reactor and Fuel-Processing Technology

Volume 10

Note: The page range for each of the four issues of Vol. 10 is as follows:

No. 1, pages 1 to 92 No. 3, pages 181 to 258
No. 2, pages 93 to 179 No. 4, pages 259 to 321

A

Accidents
 Na fires in reactors, analysis of, 17-18
Actinide fluorides (complex), 162
Actinides
 recovery from volcanic tuff, 245-46
Air-cleaning systems
 containment of radioactive materials, 172
Air preheaters
 development for MHD power systems, 22-23
Aluminum-alloy fuels (Al-Pu)
 aqueous processing, 306-7
 lattice measurements, 94
Aluminum-alloy fuels (Al-Pu) (irradiated)
 properties, 97
Aluminum-alloy fuels (Al-U)
 fluoride-volatility processing, 226-27
Aluminum alloys (Al-U)
 production by direct reduction of UF₄, 169
Aluminum oxide cermets (Al₂O₃-Cr)
 use as insulation in MHD power systems, 21
Americium
 recovery from Al-Pu fuels, 307
Ammonia
 production using power reactors, 120-21
Anion-exchange resins
 compatibility studies, 170-72
Aqueous processing, 61-69, 241-52, 152-59, 303-8
Asphalt
 waste incorporation in, 176, 253
Atomic Energy Commission
 design criteria for power reactors, 220-25
 Plutonium Utilization Program, 93
 pressure-vessel requirements, 289-302

B

Boron
 cross sections, 283-84
Bromine pentafluoride
 fluorination of PuO₂-UO₂ fuel using, 71-77, 160-61, 227-30, 310-12
Burnup
 predictions for thermal reactors, 190-98

C

Calcination processes
 for waste solidification, 253-55, 319-20

Calcium zirconates
 performance as insulation in MHD power systems, 21
Californium-252
 neutron yield, 280-81
Ceramics
 waste incorporation in, 255
Cermets
 use of Al₂O₃-Cr as insulation in MHD power systems, 21
Cesium
 ion-exchange recovery, 320-21
Chlorine monofluoride
 fluorination of oxide fuels with, 309-10
Chlorine trifluoride
 fluorination of oxide fuels with, 161-62, 227, 309-10
 reaction with water, 232-33
Chromium cermets (Al₂O₃-Cr)
 use as insulation in MHD power systems, 21
Collimators (shaped)
 use in void detectors, 148-49
Containment buildings
 (see also Pressure vessels and Vessels)
 electrical penetration of, 122-35
Contamination
 from power reactors, 225
 from volatility processing, 230-32
Control
 requirements in power reactors, 221-22
Control rods
 vibrations in, fluid-flow induced, 2-5
Coolants
 analysis of fires in Na, 17-18
 loss of, 27-30
Cooling systems
 pressure-boundary capability in power reactors, 222-23
Copper
 performance as electrodes in MHD power systems, 21
Copper oxide
 reaction with F, 161
Cores
 hot-channel factors for PWR, 261-70
 vibration of components, 2-5, 208-19
Corrosion
 in fluoride-volatility processes, 232
Cross sections (fission), 276-79, 281-84
Cross sections (slow neutron)
 Pu isotopes, 95-96
Curium
 recovery from Al-Pu fuels, 307
 recovery, degradation products of tertiary amines in, 248

D

Design
 continuous dissolver, 250-51
 neutron-detection systems, counting-Campbell, 199-207
 pilot processing plant, 161
 pressure-vessel, requirements for, 295-98
 PWR core, 264-67
 standards for power reactors, 220-25
 Windscale separations plant, 307-8
Dissolver
 design of continuous, 250-51
Dowex 1-X4
 compatibility studies, 170-72

E

Economics
 market potential of small utility power reactors, 181-89
 Pu recycle in power reactors, 98-99
Effluents
 from power reactors, 225
 from volatility processing, 230-32
Electrodes
 development for MHD power systems, 21-22
Engineered safeguards
 power reactors, 223-25

F

Fabrication
 pressure-vessel, requirements for, 298-300
Fertilizer industry
 power-reactor uses in, 119
Filters
 use in air-cleaning systems, 172
Fires
 analysis in Na-cooled reactors, 17-18
Fission
 neutron yield, measurement of, 279-81
Fission cross sections, 276-79, 281-84
Fission parameters
 current values of fundamental, 271-88
Fission products
 barrier requirements in power reactors, 221
Fissium-alloy fuels (fissium-U)
 U recovery in pyrochemical processing, 153-54
Fluid flow
 in reactors, 2-5, 27-30

- Fluidized beds
technology, 178
- Fluoride-salt fuels
pyrochemical processing, 317-18
- Fluorides
of actinides, complex, 162
preparation, 312-13
properties, 162-63, 312-13
- Fluorine
reactions with materials, 161-62
- Fuel Cycle Facility
waste management, 256-58
- Fuels
processing regulations in Japan, 173-75
storage systems for power reactors, 225
vibration, 2-5, 210-16
- Fuels (Al-Pu)
aqueous processing, 306-7
lattice measurements, 94
- Fuels (Al-Pu) (irradiated)
properties, 97
- Fuels (Al-U)
fluoride-volatility processing, 226-27
- Fuels (fission-U)
U recovery in pyrochemical processing, 153-54
- Fuels (fluoride salt)
pyrochemical processing, 317-18
- Fuels (graphite)
preparation for aqueous processing, 245, 305
- Fuels (oxide)
fluorination with Cl fluorides, 309-10
- Fuels (Pu)
use in reactors, 93-94
- Fuels (Pu-Th-U)
solvent extraction, 155
- Fuels (PuO₂-UO₂)
dissolution in aqueous processing, 242-43
lattice measurements, 94
volatility processing, 70-77, 160-61, 227-30, 310-12
- Fuels (PuO₂-UO₂) (irradiated)
properties, 97-98
- Fuels (PuO₂-UO₂) (stainless-steel clad)
salt-transport processing, 314-17
- Fuels (stainless-steel clad)
pyrochemical decladding, 169
- Fuels (U-Zircaloy)
HF dissolution, 152-53
- Fuels (U-Zr)
aqueous processing, 241-42, 306
fluoride-volatility processing, 226-27
HF dissolution, 152-53
- Fuels (UO₂)
fluorination with BrF₃, 312
- Fuels (UO₂-ZrO₂) (Zircaloy-4 clad)
dissolution in aqueous processing, 243-45
- G**
- Glass
waste conversion to phosphate, 176-77
waste incorporation in, 255-56
- Graphite fuels
preparation for aqueous processing, 245, 305
- H**
- Heat exchangers
development for MHD power systems, 22-23
- Hydrogen
cross sections, 283-84
embrittlement of pressure-vessel steels by, 102-10, 259-60
- Hydrogen fluoride
use for dissolution of U-Zr fuels, 152-53
- I**
- Idaho Chemical Processing Plant
development in 1966, 178
hot-cell facility, 157-58
maintenance, 249
- Industry
Pu utilization studies, 94
power-reactor uses in, 118-21
- Inspection
pressure-vessel, requirements for, 300-1
- Insulation
development for MHD power systems, 21
- Ion-exchange processes, 157
Cs recovery using, 320-21
- Ion-exchange resins
permanganate dissolution, 157
- IRA-401
compatibility studies, 170-72
- Iron
reaction with F, 161-62
- Isochem Inc.
contract termination for processing plant, 178
- Italy
Pu utilization studies, 94
- J**
- Japan
fuel-processing regulations in, 173-75
Pu utilization studies, 94
- L**
- Lanthanum chromite
performance as electrodes in MHD power systems, 21
- Lanthanum oxide
performance as electrodes in MHD power systems, 21
- Lattice measurements
Pu fuels, 94
- Lithium
cross sections, 283-84
- M**
- Magnetohydrodynamic power systems
developments in closed-cycle, 136-47
developments in open-cycle, 20-24
- Magnets
development for MHD power systems, 22
- Materials (radioactive)
processing, safety in, 170-72
- Metallurgical industries
power-reactor uses in, 118-21
- Molybdenum
performance as electrodes in MHD power systems, 22
- Molybdenum fluoride
behavior in volatility processes, 310
- N**
- Neptunium
behavior in volatility processes, 310
extraction, 156-57
reactions with BrF₃, 312
recovery using triaurylamine, 247-48
- Neptunium-237
recovery using salt-transport processes, 166
- Neutron-detection systems
counting and Campbell, 199-207
- Neutrons
yield from fission, measurement of, 279-81
- Neutrons (prompt)
yields as energy functions, 284
- Niobium
performance as electrodes in MHD power systems, 22
- Nitrofluor process, 226
- O**
- Oxide fuels
fluorination with Cl fluorides, 309-10
- Oxygen
effects on reactor-vessel cladding, 1
- P**
- Permutit SK
compatibility studies, 170-72
- Phosphate glass
waste conversion to, 176-77
- Plants (processing)
(see also specific plants)
contract termination with Isochem Inc., 178
design of pilot, 161
maintenance, 248-50
- Plasma (combustion-produced), 23
- Plutonium
preparation by electrolysis, 239
processing, safety in, 170-72
recovery using salt-transport processes, 165-66
recycle in thermal reactors, 93-101
- Plutonium-alloy fuels (Al-Pu)
aqueous processing, 306-7
fluoride-volatility processing, 226-27
lattice measurements, 94
- Plutonium-alloy fuels (Al-Pu) (irradiated)
properties, 97
- Plutonium-alloy fuels (Pu-Th-U)
solvent extraction, 155
- Plutonium compounds
reactions with F, 161
- Plutonium dioxide fuels (PuO₂-UO₂)
dissolution in aqueous processing, 242-43
lattice measurements, 94
volatility processing, 70-77, 160-61, 227-30, 310-12
- Plutonium dioxide fuels (PuO₂-UO₂) (irradiated)
properties, 97-98
- Plutonium dioxide fuels (PuO₂-UO₂) (stainless-steel clad)
salt-transport processing, 314-17
- Plutonium fuel
use in reactors, 93-94
- Plutonium isotopes
slow-neutron cross sections, 95-96
- Plutonium Utilization Program
AEC program, 93
- Potassium vapor
erosion of turbine blades by, 150-51
- Power
(see Magnetohydrodynamic power systems and Reactors (power))
- Pressure vessels
(see also Containment buildings and Vessels)
H embrittlement of steel, 102-10, 259-60
requirements, 289-302

- Process industries
power-reactor uses in, 118-21
- Processing plants
(see Plants (processing) and specific plants)
- Prompt neutrons
yields as energy functions, 284
- Protactinium
extraction from blanket of molten-fluoride breeder reactor, 167
- Protactinium-231
recovery and purification using solvent extraction, 248
- Protection systems
requirements in power reactors, 222
- Purex plant
maintenance at Hanford, 248-49
- Purex process
Cs recovery using ion exchange, 320-21
- Pyrochemical processes (compact), 79-84, 165-69, 234-40, 314-18
- R
- Radiation effects
H embrittlement of pressure-vessel steels, 106-9
Pu fuels, 97-98
- Radioactivity
release from power reactors, 225
release from volatility processing, 230-32
- Reactivity
control requirements in power reactors, 222
- Reactors
loss-of-coolant, two-phase critical flow analysis, 27-30
Pu fuel in, 93-94
vibrations in, fluid-flow induced, 2-5
- Reactors (Advanced Gas-Cooled)
Pu fuel in, 94
- Reactors (Arkansas)
construction schedule, 38
- Reactors (Bailey Point)
construction schedule, 37-38, 57
- Reactors (Big Rock Point)
core-component vibration, 209
experience, 181-84
operational data, 33-34, 37, 41
- Reactors (Boiling Nuclear Superheat)
containment, electrical penetration of, 130
experience, 181-84
operational data, 33, 35, 37, 43
- Reactors (boiling water)
burnup predictions, 196
economics of small, 187
use to desalt seawater, 111-12
- Reactors (Bolsa Island 1)
construction schedule, 38, 57
- Reactors (Bolsa Island 2)
construction schedule, 38, 57
- Reactors (BORAX-2)
operational data, 35
- Reactors (BORAX-3)
operational data, 35, 52
- Reactors (BORAX-4)
operational data, 36, 52
- Reactors (BORAX-5)
operational data, 36, 52, 54
- Reactors (breeder)
economics of small, 187
- Reactors (Browns Ferry 1)
construction schedule, 38, 57
- Reactors (Browns Ferry 2)
construction schedule, 38, 57
- Reactors (Burlington 1)
construction schedule, 38, 57
- Reactors (Burlington 2)
construction schedule, 38, 57
- Reactors (Carolinas-Virginia Tube)
experience, 181-85
operational data, 33, 35, 37, 43
- Reactors (Connecticut Yankee)
construction schedule, 33, 37
- Reactors (converter)
economics of small, 187
- Reactors (Crystal River 3)
construction schedule, 38
- Reactors (Diablo Canyon)
construction schedule, 38, 58
- Reactors (Dragon)
use in MHD-system development, 143
- Reactors (Dresden 1)
containment, electrical penetration of, 126-27
operational data, 32, 34, 37, 40
- Reactors (Dresden 2)
construction schedule, 33, 37
containment, electrical penetration of, 133-34
- Reactors (Dresden 3)
construction schedule, 37, 39
- Reactors (dual purpose)
use to desalt seawater, 111-17
- Reactors (Easton)
construction schedule, 38, 58
- Reactors (EBR-1)
fuel recovery, 306
operational data, 35, 52
- Reactors (EBR-2)
containment, electrical penetration of, 127-29
core-component vibration, 208-9
management of waste from Fuel Cycle Facility, 256-58
operational data, 35, 51
- Reactors (EBWR)
calculational models, 96-97
containment, electrical penetration of, 125-26
operational data, 34, 45
Pu-fuel irradiation, 97
- Reactors (Elk River)
experience, 181-84
operational data, 33, 35, 37, 42
- Reactors (EVESR)
operational data, 35, 51
- Reactors (fast breeder)
use to desalt seawater, 111-12
- Reactors (Fast Reactor Test Facility)
containment, electrical penetration of, 131-32
- Reactors (Fermi)
containment, electrical penetration of, 129-30
operational data, 32, 34, 37, 44
- Reactors (Fort Calhoun)
construction schedule, 38, 57
- Reactors (Fort St. Vrain)
construction schedule, 37, 39
- Reactors (GCRE)
operational data, 36, 53
- Reactors (General Electric Test)
core-component vibration, 209
- Reactors (Hallam)
experience, 181-85
operational data, 32, 35, 37, 41
- Reactors (H. B. Robinson 2)
construction schedule, 37, 40
- Reactors (heavy-water-moderated organic-cooled)
use to desalt seawater, 111-12
- Reactors (He cooled)
use in MHD-system development, 143-45
- Reactors (high-temperature gas-cooled)
use to desalt seawater, 111-12
- Reactors (HRE-1)
operational data, 35
- Reactors (HRE-2)
operational data, 36, 53
- Reactors (Humboldt Bay)
experience, 181-84
operational data, 33, 35, 37, 41
- Reactors (HWCTR)
operational data, 35, 48-49
- Reactors (Illinois)
construction schedule, 38
- Reactors (Indian Point 1)
operational data, 32, 34, 37, 41
- Reactors (Indian Point 2)
construction schedule, 37, 39
- Reactors (Indian Point 3)
construction schedule, 38
- Reactors (Kewanee)
construction schedule, 38
- Reactors (La Crosse)
construction schedule, 33, 37
containment, electrical penetration of, 131
experience, 181-84
- Reactors (LAMPRE)
operational data, 36, 53
- Reactors (LAPRE-1)
operational data, 36, 52
- Reactors (LAPRE-2)
operational data, 36
- Reactors (liquid-metal fuel)
core-blanket-fuel recovery, 168
- Reactors (Malibu 1)
construction schedule, 37, 39
- Reactors (Michigan)
construction schedule, 38, 58
- Reactors (Milestone)
construction schedule, 33, 37
- Reactors (ML-1)
operational data, 36, 57
- Reactors (molten-salt breeder)
fuel processing, 166-67, 235-36, 317-18
- Reactors (Monticello)
construction schedule, 37, 40, 57
- Reactors (MSRE)
core-component vibration, 209-10
design, 6-15
operation, 6-15, 36, 54
- Reactors (Nebraska)
construction schedule, 38, 57
- Reactors (New Hampshire)
construction schedule, 38
- Reactors (New Jersey)
construction schedule, 38
- Reactors (New Production)
operational data, 33, 35, 37, 44
- Reactors (New York)
construction schedule, 38
- Reactors (Nine Mile Point)
construction schedule, 33, 37
- Reactors (N. S. Savannah)
containment, electrical penetration of, 129
- Reactors (Oconee 1)
construction schedule, 38, 57
- Reactors (Oconee 2)
construction schedule, 38, 57
- Reactors (Oconee 3)
construction schedule, 38
- Reactors (OMRE)
operational data, 34, 46-47
- Reactors (organic)
economics of small, 187
- Reactors (Oyster Creek)
construction schedule, 33, 37
- Reactors (Palisades)
construction schedule, 37, 39
- Reactors (Pathfinder)
experience, 181-84
operational data, 32, 35, 37, 44
- Reactors (Peach Bottom)
containment, electrical penetration of, 130-31

experience, 181-84
 operational data, 33-34, 37, 44
 Reactors (Peach Bottom 2)
 construction schedule, 38, 57
 Reactors (Peach Bottom 3)
 construction schedule, 38
 Reactors (Pilgrim)
 construction schedule, 37, 57
 Reactors (Piqua)
 experience, 181-85
 operational data, 33, 35, 37, 42
 Reactors (PM-1)
 operational data, 36, 55
 Reactors (PM-2A)
 operational data, 36, 55
 Reactors (PM-3A)
 operational data, 36, 56
 Reactors (Point Beach 1)
 construction schedule, 37, 40
 Reactors (Point Beach 2)
 construction schedule, 38
 Reactors (pool type)
 economics of small, 186
 Reactors (power)
 calculational models, 96-97
 design criteria, 220-25
 market potential of small utility, 181-89
 performance of small utility, 181-89
 use to desalt seawater, 111-17, 119-20
 uses in industry, 118-21
 Reactors (Prairie Island)
 construction schedule, 38
 Reactors (pressurized water)
 burnup predictions, 194-96
 economics of small, 186-87
 loss-of-coolant accident, analysis of, 27-30
 Reactors (PRTR)
 fuel processing, 242-43
 operational data, 35, 46-47
 Pu-fuel irradiation, 97-98
 Reactors (Quad Cities 1)
 construction schedule, 37, 40
 Reactors (Quad-Cities 2)
 construction schedule, 38, 57
 Reactors (Rancho Seco)
 construction schedule, 38
 Reactors (Robert Emmett Ginna 1)
 construction schedule, 37, 39
 Reactors (San Onofre)
 containment, electrical penetration of, 132-33
 startup schedule, 33, 37
 Reactors (Saxton)
 operational data, 35, 48-49
 Pu-fuel irradiation, 97
 Reactors (Shippingport Pressurized Water)
 fuel dissolution in aqueous processing, 243-45
 hot-channel factors for cores, 261-70
 operational data, 32, 33, 37, 39
 Reactors (Shoreham)
 construction schedule, 37, 57
 Reactors (SL-1)
 operational data, 36, 55
 Reactors (SM-1)
 operational data, 36, 54
 Reactors (SM-1A)
 operational data, 36, 56
 Reactors (sodium cooled)
 fire analysis, 17-18
 Reactors (SPERT-III)
 core-component vibration, 209
 Reactors (SRE)
 operational data, 34, 50
 Reactors (Surry 1)
 construction schedule, 38, 57
 Reactors (Surry 2)
 construction schedule, 38, 57

Reactors (Susquehanna 1)
 construction schedule, 38
 Reactors (thermal)
 burnup predictions, 190-98
 Pu recycle in, 93-101
 Reactors (Three Mile Point)
 construction schedule, 38, 58
 Reactors (Trojan)
 construction schedule, 38
 Reactors (Turkey Point 3)
 construction schedule, 37, 39
 Reactors (Turkey Point 4)
 construction schedule, 37, 39
 Reactors (VBWR)
 operational data, 34, 45
 Reactors (Vermont Yankee)
 construction schedule, 37, 39
 Reactors (Washington)
 construction schedule, 38
 Reactors (Yankee)
 core-component vibration, 209
 operational data, 32, 34, 37, 40
 Pu fuel in, 93
 Regulations
 design of power reactors, 220-25
 fuel processing in Japan, 173-75
 pressure vessels, 289-302
 Resins (anion exchange)
 compatibility studies, 170-72
 Resins (ion exchange)
 permanganate dissolution, 157

S

Safeguards (engineered)
 power reactors, 223-25
 Safety
 chemical processing, 170-72
 loss-of-coolant, 27-30
 vessels, 109-10
 Salt-cycle process, 168, 237-39
 Salt mines
 calcined-waste storage in, 177-78
 Salt-transport processes, 79-81, 165-66, 234-35, 314-17
 Seawater
 desalting using power reactors, 111-17, 119-20
 Shale
 waste disposal into, 177
 Shielding
 vibration in thermal, 2-5
 Silicon carbides
 performance as insulation in MHD
 power systems, 21
 Siting
 dual-purpose reactors, 115
 Slagging processes, 167-68, 236, 318
 Sodium
 fires in reactors, analysis of, 17-18
 Solvent extraction processes, 155-57, 245-48, 321
 Sorbents
 use in air-cleaning systems, 172
 Space power
 use of MHD system, 143
 Stainless steel (Ni plated)
 erosion by K vapor, 150-51
 Standards
 design of power reactors, 220-25
 Steel
 H embrittlement of pressure-vessel, 102-10, 259-60
 Strontium zirconates
 performance as insulation in MHD
 power systems, 21

T

Tanks
 thermal analysis of buried waste-containing, 178
 Tantalum
 performance as electrodes in MHD
 power systems, 22
 Technetium fluoride
 behavior in volatility processes, 310
 Testing
 pressure-vessel, requirements for, 301-2
 Thorium
 dissolution for aqueous processing, 303-5
 Thorium (irradiated)
 TBP extraction of ^{233}U from, 157
 Thorium-alloy fuels (Pu-Th-U)
 solvent extraction, 155
 Thorium dioxide
 dissolution, 154-55
 Tributyl phosphate (irradiated)
 stability, diluent effects on, 155-56
 Tungsten
 performance as electrodes in MHD
 power systems, 22
 Turbine blades
 erosion by K vapor, 150-51

U

United Kingdom
 Pu utilization studies, 94
 Uranium
 dissolution for aqueous processing, 303-5
 preparation by electrolysis, 158-59, 239
 recovery from fissium-U alloys in
 pyrochemical processing, 153-54
 recovery using salt-transport processes, 165-66
 zone refining, 239
 Uranium-233
 TBP extraction from irradiated Th, 157
 Uranium-235
 fission parameters, 273-76
 Uranium-alloy fuels (Al-U)
 fluoride-volatility processing, 226-27
 Uranium-alloy fuels (fissium-U)
 U recovery in pyrochemical processing, 153-54
 Uranium-alloy fuels (Pu-Th-U)
 solvent extraction, 155
 Uranium-alloy fuels (U-Zr)
 aqueous processing, 241-42, 306
 fluoride-volatility processing, 226-27
 HF dissolution, 152-53
 Uranium alloys (Al-U)
 production by direct reduction of UF_4 , 169
 Uranium compounds
 reactions with F, 161-62
 Uranium dioxide
 oxidation, 311-12
 Uranium dioxide fuels
 fluorination with BrF_5 , 312
 Uranium dioxide fuels ($\text{PuO}_2\text{-UO}_2$)
 dissolution in aqueous processing, 242-43
 lattice measurements, 94
 volatility processing, 70-77, 160-61, 227-30, 310-12
 Uranium dioxide fuels ($\text{PuO}_2\text{-UO}_2$)
 (irradiated)
 properties, 97-98
 Uranium dioxide fuels ($\text{PuO}_2\text{-UO}_2$)(stainless-steel clad)
 salt-transport processing, 314-17
 Uranium dioxide fuels ($\text{UO}_2\text{-ZrO}_2$)
 (Zircaloy-4 clad)
 dissolution in aqueous processing, 243-45

Uranium monocarbide
electrolytic dissolution, 168

Utilities

potential use of small power reactors,
181-89

V

Ventilation systems

containment of radioactive materials, 172

Vessels

(see also Containment buildings and
Pressure vessels)

cladding failure, 1

safety, 109-10

Vibration

reactor-core components, 2-5, 208-19

Void detectors

use of shaped collimators in, 148-49

Volatility processes, 70-78, 160-64,

226-33, 309-13

W

Waste disposal

research and development, 85-92, 176-
79, 253-58, 319-21

Wastes

solidification, 89, 178-79, 253-56, 319-20

storage systems for power reactors, 225

Water (sea-)

desalting using power reactors, 111-17,
119-20

Water (surface)

waste disposal into, 179

Windscale separations plant

design and operation, 307-8

Y

Yttrium oxide

performance as electrodes in MHD

power systems, 21

Z

Zircaloy-alloy fuels (U-Zircaloy)

HF dissolution, 152-53

Zirconium

recovery using salt-transport processes,
166

Zirconium-alloy fuels (U-Zr)

aqueous processing, 241-42, 306

fluoride-volatility processing, 226-27

HF dissolution, 152-53

Zirconium boride

performance as electrodes in MHD

power systems, 21

Zirconium dioxide fuels (UO₂-ZrO₂)

(Zircaloy-4 clad)

dissolution in aqueous processing, 243-45

Zirconium oxides

performance as electrodes in MHD

power systems, 21

LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.